WEST Search History

Hide Items Restore Clear Cancel

DATE: Wednesday, March 03, 2004

Hid ?	<u>Set</u> <u>Name</u>	Query	<u>Hit</u> Count
	DB=P0	GPB,USPT,USOC; PLUR=YES; OP=ADJ	
	L18	L16 and I1	1
	DB=EF	PAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
. 🗖	L17	L16	0
	DB=P	GPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
	L16	L15 and counter and ((edge or arc) near profil\$)	46
	L15	L13 or l11	20914
	L14	L13 or I1	4066
	L13	L10 and profil\$	2739
	L12	(phase change) and profil\$	4466
	L11	L10	20914
	L10	transition near phase	20914
	DB=JF	PAB,EPAB,DWPI,TDBD; PLUR=YES; OP=ADJ	
	L9	profil\$ and (hardware near3 counter)	5
	DB=U	SPT,PGPB; PLUR=YES; OP=ADJ	
	L8	L5 and (counter near2 ID)	0
	L7	L5 and (branch\$ near2 ID)	1
	L6	L5 and (instruction near2 ID)	3
	L5	L4 and edg\$	106
	L4	profil\$ and (hardware near3 counter)	234
	L3	L1 and profil\$ and (hardware near3 counter)	27
	L2	L1 and profil\$ and counter	187
	L1	((717/126 717/127 717/128 717/129 717/130 717/131 717/132 717/133 717/151 717/158)!.CCLS.)	1329

END OF SEARCH HISTORY

Hit List

Clear Generate Collection Print Fwd Refs Bkwd Refs Generate OACS

Search Results - Record(s) 1 through 5 of 5 returned.

☐ 1. Document ID: JP 02310705 A

Using default format because multiple data bases are involved.

L9: Entry 1 of 5

وتديير كالمستنف بماني بالمتاك المتاكات

File: JPAB

Dec 26, 1990

PUB-NO: JP402310705A

DOCUMENT-IDENTIFIER: JP 02310705 A

TITLE: RECONSTITUTABLE COUNTER AND ITS CONSTITUTION METHOD

PUBN-DATE: December 26, 1990

INVENTOR-INFORMATION:

NAME COUNTRY

CRUICKSHANK, ANCIL B DAVIS, RICHARD K

INT-CL (IPC): G05B 19/05

□ 2. Document ID: NN76053935

L9: Entry 2 of 5

File: TDBD

May 1, 1976

TDB-ACC-NO: NN76053935

DISCLOSURE TITLE: Position Servo Utilizing Position Reference Clock. May 1976.

PUBLICATION-DATA:

IBM Technical Disclosure Bulletin, May 1976, US

VOLUME NUMBER: 18 ISSUE NUMBER: 12

PAGE NUMBER: 3935 - 3936

DISCLOSURE TEXT:

2p. The device and procedure described herein provides an implementation of a closed-loop servo system which can be made to follow some desired trajectory. - Fig. 1 is both an implementation of a hardware version and a microprocessor implementation. In Fig. 1, the circuits (shown in block diagram form) encircled by block 10 would be replaced by a microprocessor. Incidentally, block 10 is a representation of the microprocessor. - Fig. 2 is a sketch of the trajectory that the servo will follow. - The hardware

implementation that makes up the drive signal to motor 14 is comprised of reference voltage path A, which is an open-loop branch whose purpose is to apply a precalculated voltage profile to motor 14 via amplifier 12. If all system parameters are at their nominal values, the reference voltage derived from reference voltage path A would alone drive the system along the desired trajectories... Positional error path 13 is derived from the closed-loop portion of the servo system, and its magnitude is proportional to the difference between the position reference and the actual output position. -Referring to Fig. 1, the feedback signals on terminal 16 and terminal 18 are digital information derived from a two-phase digital tachometer 20. The problem therefore is to develop a digital signal Pr(t) which is compatible with the digital system. - Fig. 3A shows a desired continuous output position trajectory denoted by Pdo(t). The vertical axis of the plot corresponds to position and has been divided into incremental position steps of Delta. Delta corresponds to the incremental position supplied by each cycle of the digital tachometer 20. Horizontal lines are drawn from each Delta on the vertical axis until the curve Pdo(t) is intersected. Another line is drawn vertically from the point of intersection to the horizontal axis which denotes time. - The sketch in Fig. 3B shows a train of pulses called Position Reference Clock which is derived from position reference clock generator 22. If the output of the servo did truly follow Pdo(t), then a full cycle of the digital tachometer would occur at each pulse location of the Position Reference Clock. Generation of the Position Reference Clock is then the desired reference, Pr(t), for the closed-loop position servo system. - Generation of the position can be either done in hardware or by use of a microprocessor. A hardware version is shown in Fig. 4. Essentially the hardware version consists of a counter, reference crystal clock, some logic and a read-only memory. The memory contains the periods T1, T2...Tn of the tachometer 20 corresponding to desired output trajectory. The control logic sequentially loads in T1, T2...Tn from the memory into the down counter after each position reference pulse is generated. When the counter reaches zero, it puts out a pulse which is Position Reference Clock and a new Tn is loaded into the counter to continue the process. Incidentally, all hardware could be a portion of a microprocessor.

SECURITY: Use, copying and distribution of this data is subject to the restictions in the Agreement For IBM TDB Database and Related Computer Databases. Unpublished - all rights reserved under the Copyright Laws of the United States. Contains confidential commercial information of IBM exempt from FOIA disclosure per 5 U.S.C. 552(b)(4) and protected under the Trade Secrets Act, 18 U.S.C. 1905.

COPYRIGHT STATEMENT: The text of this article is Copyrighted (c) IBM Corporation 1976. All rights reserved.

F	υll	Title	Citation	Front	Review	Classification	Date	Reference	27777	31.7	10.0	Claims	KodC	Orayu Desc	C
**********			D		D. 110	0047404	DO 1		2040000	A 4					

☐ 3. Document ID: US 6647491 B2, US 20020019930 A1

File: DWPI

Nov 11, 2003

DERWENT-ACC-NO: 2002-216176

DERWENT-WEEK: 200382

L9: Entry 3 of 5

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Instruction <u>profiling</u> and trace selection system has hardware portion which detects more frequently executed instructions and software portion which forms trace of most frequently executed instructions

INVENTOR: BENITEZ, M; HSU, W C

PRIORITY-DATA: 1999US-0252567 (February 18, 1999), 2001US-0968283 (October 1, 2001)

PATENT-FAMILY:

 PUB-NO
 PUB-DATE
 LANGUAGE
 PAGES
 MAIN-IPC

 US 6647491 B2
 November 11, 2003
 000 G06F015/00

 US 20020019930 A1
 February 14, 2002
 009 G06F009/00

INT-CL (IPC): $\underline{G06} + \underline{9}/\underline{00}$; $\underline{G06} + \underline{15}/\underline{00}$

ABSTRACTED-PUB-NO: US20020019930A

BASIC-ABSTRACT:

NOVELTY - A hardware portion including counters and memory, detects which instructions of a program are more frequently executed and maintains a history of targets chosen by branch instructions of the program. A software portion forms the trace of the most frequently executed instructions and uses the maintained history in making branch predictions which are encountered in forming the trace.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for program instructions profiling method.

USE - For selecting <u>profile</u> instructions of a program and for selecting a trace of a portion of the instructions of the program.

ADVANTAGE - Uses the software which has more flexibility, less complexity and less expensive than hardware, for trace prediction and selection. Provides fast <u>profiling</u> and effective trace selection.

DESCRIPTION OF DRAWING(S) - The figure shows the trace selection mechanism.

Full Title	Citation Front	Review Classification	Date Reference	Claims KWWC Draw, Desc C

File: DWPI

Jun 12, 2003

☐ 4. Document ID: DE 10194944 T, WO 200161499 A1, AU 200132543 A, US 20010021959 A1

DERWENT-ACC-NO: 2002-239485

DERWENT-WEEK: 200346

L9: Entry 4 of 5

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Processor system in computer, has $\frac{\text{hardware counters}}{\text{module}}$ to measure performance characteristics of part entities of load $\frac{\text{module}}{\text{module}}$

INVENTOR: EGELAND, T; HOLMBERG, P A; NORRMAN, P; OESTEN, K; JOHANSSON, L K; JOHANSSON, L KO

PRIORITY-DATA: 2000SE-0000533 (February 18, 2000)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
DE 10194944 T	June 12, 2003		000	G06F012/08
WO 200161499 A1	August 23, 2001	E	044	G06F012/08
AU 200132543 A	August 27, 2001		000	G06F012/08
US 20010021959 A1	September 13, 2001		000	G06F012/00

INT-CL (IPC): $\underline{G06} + \underline{12/00}$; $\underline{G06} + \underline{12/08}$

ABSTRACTED-PUB-NO: US20010021959A

BASIC-ABSTRACT:

وتداعم والمساورة المارية المارية

NOVELTY - Memory allocation sections (38,41,48) is updated during a run time based on execution data provided by an execution <u>profiling</u> section (39). The <u>profiling</u> section has <u>hardware counters</u> (51) to measure performance characteristics of part entities of load modules (49,50) which has record and instruction data. Memory allocation section allocates selected part entities of load module to memory.

- - - - ور. -

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for memory handling method.

USE - In computer.

ADVANTAGE - More important data are held in static cache or the necessary memory size is reduced by a fine granularity of the data by the static cache. The access times are reduced due to close arrangement to the processor. Increases the flexibility by intermittently updating the allocation based on execution <u>profile</u> measurements.

DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of processor system.

Memory allocation sections 38,41,48

Execution profiling section 39

Load modules 49,50

Hardware counters 51
ABSTRACTED-PUB-NO:

WO 200161499A EOUIVALENT-ABSTRACTS:

NOVELTY - Memory allocation sections (38,41,48) is updated during a run time based on execution data provided by an execution <u>profiling</u> section (39). The <u>profiling</u> section has <u>hardware counters</u> (51) to measure performance characteristics of part entities of load modules (49,50) which has record and instruction data. Memory allocation section allocates selected part entities of load module to memory.

DETAILED DESCRIPTION - An INDEPENDENT CLAIM is also included for memory handling method.

USE - In computer.

ADVANTAGE - More important data are held in static cache or the necessary memory size is reduced by a fine granularity of the data by the static cache. The access times are reduced due to close arrangement to the processor. Increases the flexibility by intermittently updating the allocation based on execution <u>profile</u> measurements.

DESCRIPTION OF DRAWING(S) - The figure shows the block diagram of processor system.

Memory allocation sections 38,41,48

Execution profiling section 39

Load modules 49,50

Hardware counters 51

☐ 5. Document ID: SU 1105916 A

L9: Entry 5 of 5

File: DWPI

Jul 30, 1984

DERWENT-ACC-NO: 1985-060734

DERWENT-WEEK: 198510

COPYRIGHT 2004 DERWENT INFORMATION LTD

TITLE: Process control system moving hardware counter - has threshold forming signal

triggering pulse generator at input to counter

INVENTOR: KOROTKOV, A V

PRIORITY-DATA: 1983SU-3590836 (May 10, 1983)

PATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC

SU 1105916 A July 30, 1984 003

INT-CL (IPC): G06M 7/00

ABSTRACTED-PUB-NO: SU 1105916A

BASIC-ABSTRACT:

Moving objects counter contg. the sensor (1), memory (5), comparator (7) and counter (8), has the threshold (2), pulse generator (3), counter (4) and the D/A converter (6).

As a detail passes through the sensor, the threshold forms a signal which triggers the pulse generator and so fills the counter. The memorised codes are obtained in quantising the data signal from the detail being registered. The memory presents consecutive codes which are converted into a stepped signal coinciding in shape with the signal from the detail. At coincidence the signal from the comparator is registered by the output counter.

USE/ADVANTAGE - In automatic counting of the output of automated process control systems, to identify details by the form of the sensor signal (the <u>profile</u> of the detail) as well as by the length of the detail, so increasing accuracy in differentiated counting of objects. Bul.28/30.7.84

Full Title Citation Front Review Classification Date Reference	ness Report Resident Chairms KeylC Draw, Desc In
Clear Generate Collection Print Fwd Refs	Bkwd Refs Generate OACS
Terms	Documents
profil\$ and (hardware near3 counter)	5

Display Format:	-	Change Format
------------------------	---	---------------

Previous Page Next Page Go to Doc#



EEE HOME SEAHOR	TIEEE SHUP WEB ACCOURT CURTACT IEEE
Membership Public	Welcome United States Patent and Trademark Office Conferences Careers/Jobs
delp <u>FAQ Terms</u> II	EEE Peer Review Quick Links Search R
Nelcome to IEEE Xplore®	
O- Home O- What Can I Access? O- Log-out	Your search matched 8 of 1008086 documents. A maximum of 500 results are displayed, 15 to a page, sorted by Relevance in Descending order.
Tables of Contents	Refine This Search: You may refine your search by editing the current search expression or entering a
O- Journals & Magazines O- Conference	new one in the text box. phase transition <and>profile Search</and>
Proceedings — Standards	☐ Check to search within this result set Results Key:
Search	JNL = Journal or Magazine CNF = Conference STD = Standard
O- By Author O- Basic O- Advanced Member Services O- Join IEEE O- Establish IEEE	1 Ge/sub 2/Sb/sub 2/Te/sub 5/ thin film doped with silver [optical disc storage] Lie, C.T.; Kuo, P.C.; Wu, T.H.; Chen, P.W.; Optical Memory and Optical Data Storage Topical Meeting, 2002. International Symposium on , 7-11 July 2002 Pages: 213 - 215
Web Account	[Abstract] [PDF Full-Text (227 KB)] IEEE CNF
O- Access the IEEE Member Digital Library	2 Measurement of the thermal coefficients of erasable phase-change media Lu Cheng; Mansuripur, M.; Optical Data Storage Topical Meeting, 1997. ODS. Conference Digest, 7-9 April 1997 Pages: 96 - 97

[Abstract] [PDF Full-Text (172 KB)] **IEEE CNF**

3 Evaluation of force-sensing resistors for gait event detection to trigger electrical stimulation to improve walking in the child with cerebral palsy Smith, B.T.; Coiro, D.J.; Finson, R.; Betz, R.R.; McCarthy, J.; Neural Systems and Rehabilitation Engineering, IEEE Transactions on [see also IEEE Trans. on Rehabilitation Engineering], Volume: 10, Issue: 1, March 2002 Pages:22 - 29

[Abstract] [PDF Full-Text (272 KB)] IEEE JNL

4 Investigation of mechanical and antibiotic effects on TiN films deposited on medical tools by PACVD

Lee, H.; Park, S.S.; Kim, S.H.; Park, J.W.; Kim, D.J.; Lee, K.H.; Ahn, S.;

Plasma Science, 2002. ICOPS 2002. IEEE Conference Record - Abstracts. The 29th IEEE International Conference on , 26-30 May 2002 Pages:261

[Abstract] [PDF Full-Text (178 KB)] IEEE CNF

5 Vacuum packing: extracting hardware-detected program phases for post-link optimization

Barnes, R.D.; Nystrom, E.M.; Merten, M.C.; Hwu, W.W.; Microarchitecture, 2002. (MICRO-35). Proceedings. 35th Annual IEEE/ACM International Symposium on , 18-22 Nov. 2002 Pages: 233 - 244

[Abstract] [PDF Full-Text (686 KB)] IEEE CNF

6 Time dependent electron deposition with thermal transport as applied to survivable anodes in flash X-ray machines

Rauch, J.E.;

Pulsed Power Conference, 1999. Digest of Technical Papers. 12th IEEE

International, Volume: 2, 27-30 June 1999

Pages:609 - 611 vol.2

[Abstract] [PDF Full-Text (152 KB)] IEEE CNF

Programmable frequency reference for laser stabilization using persistent spectral hole burning

Sellin, P.B.; Strickland, N.M.; Carlsten, J.L.; Cone, R.L.; Lasers and Electro-Optics, 1999. CLEO '99. Summaries of Papers Presented at the Conference on , 23-28 May 1999

Pages: 281 - 282

[Abstract] [PDF Full-Text (212 KB)] IEEE CNF

8 Femtosecond continuum generation using a gas-filled hollow fiber Sokolowski-Tinten, K.; Werner, M.; Zhou, P.; Von Der Linde, D.; Lasers and Electro-Optics, 1999. CLEO '99. Summaries of Papers Presented at the Conference on , 23-28 May 1999

Pages:324 - 325

[Abstract] [PDF Full-Text (228 KB)] IEEE CNF

Home | Log-out | Journals | Conference Proceedings | Standards | Search by Author | Basic Search | Advanced Search | Join IEEE | Web Account | New this week | OPAC Linking Information | Your Feedback | Technical Support | Email Alerting | No Robots Please | Release Notes | IEEE Online Publications | Help. |

FAQ | Terms | Back to Top

Copyright © 2004 IEEE — All rights reserved



> feedback > home 🗀 > about 💠 US Patent & Trademark Office



Try the *new* Portal design

Give us your opinion after using it.

Search Results

Search Results for: [profile<AND>(((phase change)))] Found 40 of 127,944 searched.

Search within Results

> Advanced Search -- > Search Help/Tips

Title Publication Publication Date

Score

cję

Binder 🕏

Results 1 - 20 of 40

short listing

Phase tracking and prediction

99%

Sort by:

Timothy Sherwood, Suleyman Sair, Brad Calder

ACM SIGARCH Computer Architecture News, Proceedings of the 30th annual international symposium on Computer architecture May 2003

Volume 31 Issue 2

In a single second a modern processor can execute billions of instructions. Obtaining a bird's eye view of the behavior of a program at these speeds can be a difficult task when all that is available is cycle by cycle examination. In many programs, behavior is anything but steady state, and understanding the patterns of behavior, at run-time, can unlock a multitude of optimization opportunities. In this paper, we present a unified profiling architecture that can efficiently capture, classify, and ...

Profile-based optimizations: Dynamic trace selection using performance monitoring hardware sampling

97%

Howard Chen, Wei-Chung Hsu, Jiwei Lu, Pen-Chung Yew, Dong-Yuan Chen

Proceedings of the international symposium on Code generation and optimization: feedback-directed and runtime optimization March 2003

Optimizing programs at run-time provides opportunities to apply aggressive optimizations to programs based on information that was not available at compile time. At run time, programs can be adapted to better exploit architectural features, optimize the use of dynamic libraries, and simplify code based on run-time constants. Our profiling system provides a framework for collecting information required for performing run-time optimization. We sample the performance hardware registers available on ...

Software profiling for hot path prediction: less is more

93%

🐴 Evelyn Duesterwald , Vasanth Bala

Proceedings of the ninth international conference on Architectural support for programming languages and operating systems November 2000 Volume 34, 28 Issue 5, 5

Recently, there has been a growing interest in exploiting profile information in adaptive systems such as just-in-time compilers, dynamic optimizers and, binary translators. In this paper, we show that sophisticated software profiling schemes that provide highly accurate information in an offline setting are ill-suited for these dynamic code generation systems. We experimentally demonstrate that hot path predictions must be made early in order to control the rising cost of missed opportunity tha ...

4 Software profiling for hot path prediction: less is more

93%



Evelyn Duesterwald , Vasanth Bala

ACM SIGPLAN Notices November 2000

Volume 35 Issue 11

Recently, there has been a growing interest in exploiting profile information in adaptive systems such as just-in-time compilers, dynamic optimizers and, binary translators. In this paper, we show that sophisticated software profiling schemes that provide highly accurate information in an offline setting are ill-suited for these dynamic code generation systems. We experimentally demonstrate that hot path predictions must be made early in order to control the rising cost of missed opportunity tha ...

5 Session 4B: multiagent resource allocation: Effort profiles in multi-agent A resource allocation

87%

H. Van Dyke Parunak, Sven Brueckner, John Sauter, Robert Savit

Proceedings of the first international joint conference on Autonomous agents and multiagent systems: part 1 July 2002

Multi-agent systems are particularly appropriate for resource allocation, but configuring them for efficient operation requires understanding their dynamics. Concepts from statistical physics, such as phase transitions, can help. In decision problems such as constraint satisfaction, such transitions exhibit an easy-hard-easy effort profile, so that highly overconstrained problems are easier to solve than those near the transition. The conventional wisdom is that the profile in optimization probl ...

6 Positional adaptation of processors: application to energy reduction Michael C. Huang, Jose Renau, Josep Torrellas

85%




ACM SIGARCH Computer Architecture News, Proceedings of the 30th annual international symposium on Computer architecture May 2003

Volume 31 Issue 2

Although adaptive processors can exploit application variability to improve performance or save energy, effectively managing their adaptivity is challenging. To address this problem, we introduce a new approach to adaptivity: the Positional approach. In this approach, both the testing of configurations and the application of the chosen configurations are associated with particular code sections. This is in contrast to the currently-used Temporal approach to adaptation ...

The Performance of Runtime Data Cache Prefetching in a Dynamic

84%



Jiwei Lu, Howard Chen, Rao Fu, Wei-Chung Hsu, Bobbie Othmer, Pen-Chung Yew, Dong-Yuan Chen

Proceedings of the 36th Annual IEEE/ACM International Symposium on Microarchitecture December 2003

Traditional software controlled data cache prefetching isoften ineffective due to the lack of runtime cache miss andmiss address information. To overcome this limitation, weimplement runtime data cache prefetching in the dynamicoptimization system ADORE (ADaptive Object code RE-optimization). Its performance has been compared with static software prefetching on the SPEC2000 benchmarksuite. Runtime cache prefetching shows better performance.On an Itanium 2 based Linux workstation, it can increase pe ...

8 Temperature and power aware architectures: Routine based OS-aware ৰী microprocessor resource adaptation for run-time operating system power saving

83%

Tao Li, Lizy Kurian John

Proceedings of the 2003 international symposium on Low power electronics and design August 2003

The increasingly constrained power budget of today's microprocessor has resulted in a situation where power savings of all components in a system have to be taken into consideration. Operating System (OS) is a major power consumer in many modern applications execution. This paper advocates a routine based OS-aware microprocessor resource adaptation mechanism targeting run-time OS power savings. Simulation results show that compared with the existing sampling-based adaptation schemes, this novel ...

9 Physically based modeling and animation of fire

82%

Duc Quang Nguyen , Ronald Fedkiw , Henrik Wann Jensen

ACM Transactions on Graphics (TOG), Proceedings of the 29th annual conference on Computer graphics and interactive techniques July 2002

Volume 21 Issue 3

We present a physically based method for modeling and animating fire. Our method is suitable for both smooth (laminar) and turbulent flames, and it can be used to animate the burning of either solid or gas fuels. We use the incompressible Navier-Stokes equations to independently model both vaporized fuel and hot gaseous products. We develop a physically based model for the expansion that takes place when a vaporized fuel reacts to form hot gaseous products, and a related model for the similar ex ...

10 Modeling waves and surf

82%

Darwyn R. Peachey

ACM SIGGRAPH Computer Graphics, Proceedings of the 13th annual conference on Computer graphics and interactive techniques August 1986 Volume 20 Issue 4

11 Accurate indirect branch prediction

80%

Karel Driesen , Urs Hölzle

ACM SIGARCH Computer Architecture News, Proceedings of the 25th annual international symposium on Computer architecture April 1998 Volume 26 Issue 3

Indirect branch prediction is likely to become increasingly important in the future because indirect branches occur more frequently in object-oriented programs. With misprediction rates of around 25% on current processors, indirect branches can incur a significant fraction of branch misprediction overhead even though they remain less frequent than the more predictable conditional branches. We investigate a wide range of two-level predictors dedicated exclusively to indirect branches. Starting wi ...

12 Military applications: Winter simulation: development of a fast all-seasons

80%

ৰী model for the state of the ground

Mary Albert, George Koenig, George Mason

Proceedings of the 32nd conference on Winter simulation December 2000

For predicting soil conditions in support of mobility, combat, or engineering simulations, it is important to have verified models that can reliably predict the state of the ground in all weather conditions. While variations in the state of the ground in summer are due primarily

to soil type, vegetation, and slope, the winter and spring seasons present additional challenges that are currently not addressed by most Army models. Because the depth of snow on the ground varies greatly through the wi ...

13 Simulation of a local area network for a newspaper production system

80%

J. Agre , I. Shahnawaz , M. Atkinson , D. Joshi , A. A. R. K. Sastry

Proceedings of the 19th conference on Winter simulation December 1987 A computer simulation model has been developed for a Local Area Network (LAN)-based newspaper production system (NPS). The objective is to develop a model that serves as a performance evaluation and design tool for the NPS operation in a Manufacturing Automation Protocol (MAP) environment. The approach taken involved developing three modules that mimic the seven layers of the MAP/OSI (Open System Interconnection) model from a performance evaluation perspective: (1) the medium access module ...

14 Dynamically allocating processor resources between nearby and distant ILP 🙀 Rajeev Balasubramonian , Sandhya Dwarkadas , David H. Albonesi

77%

ACM SIGARCH Computer Architecture News, Proceedings of the 28th annual international symposium on Computer architecture May 2001

Volume 29 Issue 2

Modern superscalar processors use wide instruction issue widths and out-of-order execution in order to increase instruction-level parallelism (ILP). Because instructions must be committed in order so as to guarantee precise exceptions, increasing ILP implies increasing the sizes of structures such as the register file, issue queue, and reorder buffer. Simultaneously, cycle time constraints limit the sizes of these structures, resulting in conflicting design requirements.

In ...

15 Runtime Power Monitoring in High-End Processors: Methodology and

77%



세 Empirical Data

Canturk Isci, Margaret Martonosi

Proceedings of the 36th Annual IEEE/ACM International Symposium on Microarchitecture December 2003

With power dissipation becoming an increasingly vexing problem across many classes of computer systems, measuringpower dissipation of real, running systems has becomecrucial for hardware and software system research and design. Live power measurements are imperative for studiesrequiring execution times too long for simulation, such asthermal analysis. Furthermore, as processors become morecomplex and include a host of aggressive dynamic powermanagement techniques, per-component estimates of powerd ...

16 Generational Cache Management of Code Traces in Dynamic Optimization

77%



Kim Hazelwood, Michael D. Smith

Proceedings of the 36th Annual IEEE/ACM International Symposium on Microarchitecture December 2003

A dynamic optimizer is a runtime software system that groups a program's instruction sequences into traces, optimizesthose traces, stores the optimized traces in a softwarebasedcode cache, and then executes the optimized code inthe code cache. To maximize performance, the vast majority of the program's execution should occur in the codecache and not in the different aspects of the dynamic optimization system. In the past, designers of dynamic optimizershave used the SPEC2000 benchmark suite to jus ...

17 Modeling and manipulation: Volumetric ablation rendering

77%

🖈 Hari Varadhan , Klaus Mueller

Proceedings of the 2003 Eurographics/IEEE TVCG W rkshop on Volume graphics July 2003

In this paper, we propose a physically-based method for simulating the process of ablation on volumetric models. We demonstrate the visual effect of ablative processes, such as a beam of heat emitted from a blow torch or a pencil of sand expelled from a sandblaster. Users are able to control ablative properties, such as energy propagation, absorption, and material evaporation, via a simple transfer function interface, while the effect of different beam shapes can be modeled by ways of weighting ...

18 The heuristic synthesis of applications-oriented microcode

77%

A. M. Abd-alla , D. C. Karlgaard

Conference record of the 6th annual workshop on Microprogramming September 1973 This paper describes an algorithm for the synthesis of applications-oriented microcode for a dynamically microprogrammable computer. The need for such an algorithm is expressed by Reigel, Faber, and Fisher as an integral step in the solution of the tuning problem, or the problem of modifying a system architecture in order to optimally solve a given problem. This modification of architecture takes place through synthesis of microprograms that are stored in writable control storage. Writable ...

19 Run-time modeling and estimation of operating system power consumption

77%

Tao Li , Lizy Kurian John

ACM SIGMETRICS Performance Evaluation Review, Proceedings of the 2003 ACM SIGMETRICS international conference on Measurement and modeling of computer systems June 2003

Volume 31 Issue 1

The increasing constraints on power consumption in many computing systems point to the need for power modeling and estimation for all components of a system. The Operating System (OS) constitutes a major software component and dissipates a significant portion of total power in many modern application executions. Therefore, modeling OS power is imperative for accurate software power evaluation, as well as power management (e.g. dynamic thermal control and equal energy scheduling) in the light of ...

20 Dynamic Adaptive compilation: Dynamic profiling and trace cache generation 77%

Marc Berndl , Laurie Hendren

Proceedings of the international symposium on Code generation and optimization: feedback-directed and runtime optimization March 2003

Dynamic program optimization is increasingly important for achieving good runtime performance. A key issue is how to select which code to optimize. One approach is to dynamically detect traces, long sequences of instructions spanning multiple methods, which are likely to execute to completion. Traces are easy to optimize and have been shown to be a good unit for optimization. This paper reports on a new approach for dynamically detecting, creating and storing traces in a Java virtual machine. We ...

Results 1 - 20 of 40

short listing

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2004 ACM, Inc.

TAHOO, search phase transition profile	Yahoo! Search	Advance Preferen
Web Images Directory Yellow Pages News Products]	

TOP 20 WEB RESULTS out of about 380,000 (What's this?)

- 1. Transition The Personal Path Through ^国
 The Complete Inscape Publishing (formerly Carlson Learning Company) Catalog 15% Off List Prices ... around Bridges' 3-phase transition model of endings, the ... www.internalchange.com/disc_profile_store/mall/ProductPage10.asp
- 2. <u>Biophysical Journal Lasch et al. 75 (2): 840 </u>
 ... This figure shows a typical (T) **phase transitionprofile** obtained for the DMPEd54 component in a binary ... pronounced and even sharper **phase transitionprofile** than that observed for the ... www.biophysj.org/cgi/content/full/75/2/840 More pages from this site
- 4. <u>Dose lipid profile explain chilling sensitivity and membrane lipid phase transition of sperm and oocytes</u>
 ... Lipid phase transition (LPT), and membrane fluidity which was evaluated by using Fourier ... between cold susceptibility, lipid phase transition and lipids profile in animal gametes ...
 www.agri.gov.il/AnimalScience/Reproduction/Rep-Arav2.html 3k Cached
- 6. The Lee Johnson Group Inscape Products Transition The
 Personal Path Through Change Learning Guide

 Transition The Personal Path Through Change Learning Guide

 www.leejohnsongroup.com/Products/Transition___The_Personal_Path_Through_Change_Learning_Guide.html

 31k Cached
- 7. Grain Boundary Faceting Phase Transition and Thermal Grooving in Cu 을 Diffusion, Segregation and Stresses in Materials published in Defect and Diffusion Forum. ... the depth of the energetic profile for the dense packed CSL planes ... www.ttp.net/3-908450-76-4/93.htm 10k Cached
- 8. Cloud point, Freeze point, Pour point, Titer Point, Gel Point, Cold Test, Winterization, Nucleation, Melting point, Pha

Phase transition analyzers for the petroleum, antifreeze, consumer hygiene products, food, polymer, transportation and microscopy industries ... leading global supplier of phase transition analyzers for measuring cloud point ... Company Profile. With years of extensive research and expertise in phase transition behavior, our ...

www.phase-technology.com/ - 20k - Cached

9. Phase transition ^鱼

Straub, J.; Lange, R.; Nitsche, K.; Phase transition; TEXUS 8 ... phenomenologically the. phase transition of a fluid cooled ... The phase transition was observed by means. of a 16 mm cine camera. The analysis of the temperature/time profile obtained ... www.esrin.esa.it/mgdb/european experiments/mgdb444f4336d12b990e.html

. . . .

10. JBC - Huang et al. 272 (35): 21917 ⁵

... chainon the **phase transition** behavior of lipid bilayers ... crystalline **phase transition** temperature. Specifically, in the plot of Tmversus n, an inverted bell-shaped **profile** is ...

www.jbc.org/cgi/content/full/272/35/21917 - More pages from this site

11. Transition-The Personal Path Through Change

Transition—The Personal Path Through Change Workbook is a personal learning guide designed around Bridges' 3-phase transition model of Endings, the Neutral Zone, and New Beginnings, it provides Teamwork & Teamplay. Time Mastery **Profile**. **Transition**. The Universal Language DISC. Values **Profile** System ... www.tamcoinc.com/products/transition.html - 43k - <u>Cached</u>

12. Staff Profile: Dr Moira L. Steyn-Ross - Chairperson 멸

Cortical Modelling - Theortical modelling of the bulk electrodynamics of the human brain - EEG simulation - Clinical monitoring of anaesthesia Remote Sensing - Satellite determination of land and the anesthetic-induced **phase transition**: Increased correlation length ... general-anesthetic-induced **phase transition** of the cerebral ... anesthetic-induced **phase transition** of the cerebral ... www.sci.waikato.ac.nz/staff/phys/msr - 14k - <u>Cached</u>

13. <u>5. Fluctuation corrections</u> (PDF)

... 5.1.3)where the average **profile** $\langle \ \rangle$ ψ can be different from the most probable **profile** $\sim \psi$... possible to get a direct **phase transition** from the disordered state into the ...

docserver.ub.rug.nl/eldoc/dis/science/h.j.angerman/c5.pdf - 236k - View as html

14. Videira et al.: Changes induced by malathion,... 멸

... values and broadened the **phase transition profile** of DPPC, the effectiveness following ... higher ratios, the **phase transition profile** becomes sharp as the control transition, but the ...

www.elsevier.nl/gej-ng/10/11/35/79/31/43/abstract.html - 4k - Cached

- 15. Compression of Nuclear Matter and the QGP Phase Transition
 Compression of Nuclear Matter and the QGP Phase Transition. Laboratory frame energy density profile as a function of the similarity variable for a collision of two semi-infinite slabs. The density is symmetric about nuclear matter that undergoes a phase transition to the quark-gluon plasma ... www-cunuke.phys.columbia.edu/PROGRESS/subsubsection3_3_5_2.html 4k Cached
- 16. <u>Time-resolved lipid phase transition @ 2D-detector</u> □
 Time-resolved lipid phase transition. At the SAXS beamline at ELETTRA (Trieste/Italy) temperature-sensitive phase transitions of a

Phosphatidylethanolamine lipid were carried out with the 56x56 mm² prototype detector. ... Illustrated is the **phase transition** (Lbeta to Lalpha at about 25°C) both in a vertical **profile** (animation 1) and ...

www.physik.uni-siegen.de/walenta/2d/measurement/time-resolved/lipid - 10k - Cached

17. Section 3 旦

SECTION 3-Transition Methodology. 3.1 Overview of the Methodology ... and compliance with the DoDIIS Profile. Implementing the architecture will create coherent and ... The Phase III transition process is the evolutionary replacement of the baseline ...

www.fas.org/irp/dia/vaca/dstm/sec3.htm - 36k - Cached - More pages from this site

18. <u>Customer Transition Methodology - Phase III (Implementation)</u>
Message Flow (PDF) ^巨

... services engineeringdirectortransition impl. teamSME ... profile() shipping/receivingRevision:Last Update:Prepared for:Prepared by:Customer Transition Methodology - Phase III ...

www.xteleos.com/Examples/CI_process.pdf - 80k - View as html

19. <u>Transition - ThePersonal Path Through Change - Empowerment-</u> Plus.com

... Products. Personal **Profile**. Coping & Stress **Profile**. Adventures in Attitude ... Designed around Bridges' 3-phase transition model of endings, the neutral zone and new beginnings, this four ...

www.empowerment-plus.com/trans.htm - 17k - Cached

20. <u>Determination of the Thermal Broadening of Ferroelectric Domain</u>
Walls using Quantitative Transmission Electron Microscop ^囤

... domain walls in PbTiO3 samples undergoing a first-order **phase transition**. The domain wall thickness was found to ... idea is to analyze the **profile** of the thickness fringes that are ...

cimewww.epfl.ch/people/foeth/these.html - 407k - Cached

Results Page:
1 2 3 4 5 6 7 8 9 10 ▶ Next

Dissatisfied with your search results? Help us improve.

1 1 1 -	lmages	Directory	Yellow Pages	News	Products	
Your Sear	rch: phase	transition profil	•	Ύε	nhoo! Search	Advanced Web Search Preferences

Sharing these results with a friend? Use the Yahoo! Search IMVironment

Copyright © 2004 Yahoo! Inc. All rights reserved. Privacy Policy - Terms of Service - Submit Your Site



<u>Images</u>

Web

TAHOO! Search phase change profile Yahoo! Search Advanced Preference

News

Products

TOP 20 WEB RESULTS out of about 1,170,000 (What's this?)

Directory

Yellow Pages

Search Memberlist Usergroups Register. **Profile** Login to check your private messages Login. **phase-change**.com Forum Index -> Custom-made **Phase Change** Cooling. View previous topic :: View next topic. Author. Message. BOWMAN1964

www.phase-change.com/phpBB2/viewtopic.php?t=18 - More pages from this site

- 2. Pro/Forums phase change/watercooling ?/problems ProCooling.com High End cooling for geeks like us! Water Cooled Forums. ... Join Date: Sep 2002 Posts: 93. phase change/watercooling ?/problemsok.. ... View Public Profile. Send a private message to ciscokid454 ... forums.procooling.com/vbb/showthread.php?s=&threadid=6798 88k Cached More pages from this site
- 3. Pro/Forums Phase Change project start to finish ProCooling.com High End cooling for geeks like us! Water Cooled Forums. ... Join Date: Jul 2002 Posts: 127. Phase Change project start to finishwell today i am going to start something that ... View Public Profile. Send a private message to bowman1964 ... forums.procooling.com/vbb/showthread.php?s=&threadid=4327 150k Cached More pages from this site
- 4. Training schooleaders for profile second phase. Pays-Bas.Etude de cas.Innova.Observatoire europeen des innovations en ed ... The realisation of the educational change "Profile Second Phase" is not a cosmetic one but involves a large change in the subject matter of existing ... www.inrp.fr/Acces/Innova/Savoirs_nouveaux/Etudes_de_cas/Formation_enseignants/Pays_bas_3_11_page_tot . 104k Cached More pages from this site
- 5. Training schooleaders for profile second phase. Pays-Bas. Etude de cas. Innova. Observatoire europeen des innovations en ed ESPACE DE. CULTURE. EUROPEENNE. Acteurs. Missions. Mode d'emploi. Training school leaders for profile second phase. 1. Introduction ... The realisation of the educational change "Profile Second Phase" is not a cosmetic one but involves a large change in the subject matter of existing ... www.inrp.fr/Acces/Innova/Savoirs_nouveaux/Etudes_de_cas/Formation_enseignants/Pays_bas_3_11.htm 100k Cached More pages from this site
- 6. phase-change.com
 Search Memberlist Usergroups Register. Profile Login to check your private messages Login. Mozilla phase-change.com Forum Index -> phase-change.com. View previous topic :: View previous topic :: <a href="Wiew Potase-

Report. Project Scope Change Report. Scope Aging Report ... marinressrv.marinres.com/PG5B1Demopg.NSF/PGProjectNames/1D872EDC38E5389788256A00003A85A3 - 26k - Cached - More pages from this site

8. Important: Do not deny an RFC without receiving direction from Service Control. 멸

والمراجع والعروب بتعريف والمنتروني والمراجع والمناف والمناف والمناف والمناف والمناف والمناف والمناف

- ... ServiceCenter's Change Management (CM) provides the process for requesting ... the next phase. When a task or Change has no more phases, that task or Change can be closed. Profile- the ... rms.state.wi.us/home/Classroom/sc5/UG_Change_Mgt.html - 366k - Cached
- 9. phase-change.com :: Index 堕 Search Memberlist Usergroups Register. Profile Login to check your private messages Login. The time now is Thu Jan 29, 2004 11:26 am. phase-change.com Forum Index. View unanswered posts. Forum. Topics. Posts. Last Post phase-change.com/phpBB2/index.php - 31k - Cached - More pages from this site
- 10. PCM Phase change material Climator 멸 Climsel thermal batteries. Climsel pouches. ClimSel™ Thermal Battery C 24. The ClimSel Thermal Battery (CTB) is an aluminium profile with cooling fins and filled with phase change material (PCM*). The main ingredients are sodiumacetate and additives. ... for I metre ClimSeITMC 24: Phase change temperature: 24°C ... www.climator.com/products/ctb24.html - 15k - Cached - More pages from this site
- Climsel thermal batteries. Climsel pouches. ClimSel™ Thermal Battery C 32. The ClimSel Thermal Battery (CTB) is an aluminium profile with cooling fins and filled with phase change material (PCM*). The main ingredients are sodiumacetate and additives. ... Data for I metre ClimSelTMC 32. Phase change temperature: 32°C ... www.climator.com/products/ctbc32a.html - 16k - Cached - More pages from this site
- Climsel thermal batteries. Climsel pouches. ClimSel™ Thermal Battery C 58 ... CTB) is an aluminium profile with cooling finns and filled with phase change material (PCM*). The main ingredients ... for I metre ClimSeITMC 58: Phase change temperature: 58°C ... www.artech.se/~clim/products/ctbc58.html - 16k - Cached - More pages from this
- 13. Evaluation of solid-liquid interface profile during continuous casting by a spline based formalism (PDF) 멸 4, August 2001, pp. 373-378. ©. Indian Academy of Sciences. 373Evaluation of solid-liquid interface profile during continuous casting ... casting; solidification; solid-liquid interface; front tracking algorithm; phase change; heat transfer ... www.iisc.ernet.in/academy/matersci/bmsaug2001/373.pdf - 144k - View as html
- 14. Introduction to Phase Change Thermal Interface Materials 堕 ... thermal adhesive tapes and phase change materials (PCMs). An introduction to ... Viscosity-Temperature profile of PC-1500 (a Dow Corning Intermediate): phase change temperature is at ... www.coolingzone.com/Guest/News/NL_JUN_2003/Dow/Dow_Jun_2003.html - 21k - Cached
- 15. Select, Assess & Train skill, dev lopment managing, transition, chang - DiSC, training, development Skills, trainin B Select, Assess & Train - managing, transition, change - Skills, training tools, skills

Development - individual and team development - DiSC,training instruments - from Inscape Publishing - for dealing with **change**. Designed around William Bridges' three-**phase** transition model ... DiSC® Classic **Profile** - Paper Version (Personal **Profile** System®) DiSC® Personal **Profile** ... www.selectassesstrain.com/ins-tran.asp

16. zhaohui<u>'s research</u> 旦

Phase Change Recording Materials ... Phase change recording materials are often called as Chalcogenide (compounds of ... in the phase change optical recording. It can be used to calculate the 3-D temperature profile on the ... www.andrew.cmu.edu/~zfan/research.html - 19k - <u>Cached</u>

17. Micro Precision Technologies, Inc. - Microwave Journal, October 1997

... Home. Company **Profile**. Products & Services ... if the varactors are resonated to increase the **phase change** range. Typically, if 360 ° of range is necessary, from ...

www.micropt.com/News/mwjrnl1097F.htm - 21k - Cached

... phase-change.com. Phase-Change.com forums. FAQ. Search Memberlist Usergroups Register. Profile Login to check your private messages Login. oils. phase-change.com Forum Index ...

phase-change.com/phpBB2/viewtopic.php?t=920 - 31k - <u>Cached</u> - <u>More pages</u> from this site

19. Establishing the Phase Change Region 멸

Establishing the **Phase Change** Region. The rate at which the **phase change** region develops is controlled by the Gauss Regions/Iteration (GRI) parameter. The value of GRI is specified in DEFINE by choosing the Keyln Convergence command. ... Based on the existing temperature **profile** and the new boundary conditions, the ...

home.geo-

slope.com/webhelp/tem/temmgl_establishing_the_phase_change_region.htm - 11k - Cached

20. Electron Microscopy Group Homepage 면

... of different doping. Unwrapped **phase** of the hologram of the thinnest membrane ... from the unwrapped **phase** image with projected **phase profile** showing the **phase change** across the p-n ... www-hrem.msm.cam.ac.uk/research/Holography/Holo.html - 10k - Cached

Results Page: 1 2 3 4 5 6 7 8 9 10 ▶ Next

Dissatisfied with your search results? Help us improve.

Web Images Directory Yellow Pages	News Products	
Your Search: phase change profile	Yahool Search	Advanced Web Search Preferences

Save time with the Yahoo! Search Toolbar

Copyright © 2004 Yahoo! Inc. All rights reserved. Privacy Policy - Terms of Service - Submit Your Site

